

HOUSE ARE	AS
Ground Living Area:	129.48m²
First Floor Living Area:	128.86m²
Garage:	34.87m²
Porch:	3.52m <sup>2</sup>
Alfresco:	12.24m²
Total Area:	308.97m² 33.22Sq
CDC Gross Floor Area:	250.56m <sup>2</sup>






## Brochure Plan

scale 1:100

A JR Design & Drafting	Issue	Amendment	Date:	North:		Proposed:	Drawing Title:	Revision:
Residential Design & Drafting Services	Α	Concept Plans	22.06.21			New Double Storey Dwelling	Brochure Plan	<i> </i>
Phone: (02) 9757 - 4002 Fax: (02) 9757 - 4003				_				Design:
Email: jr.design.drafting@gmail.com Address: Suite 304 No. 447 Victoria Street, Wetherill Park. NSW 2164				1		Location:	L.G.A	LEC
<u>General Notes:</u> 1. All work to be carried out in accordance with the requirements of the Building Code of Australia and the relevant local authority.					VOGUÉ/HOMES			VH Job
<ol> <li>All timber training to be carried out to the requirements of Australian Sandards (as 1644) as a minimum.</li> <li>All reinforced concrete, steel beams including supports, and nominated beams including supports to Engineer's details.</li> <li>Structural Engineer to check detail and coeffit folicitizeds to nazare area with a height consist rate as 2000mm between</li> </ol>				-		Client:	Facade: Otandard Date 22.00.24	- TE
horizontal supports.  5. All brickwork to be constructed in accordance with the requirements of the Building Code of Australia.  6. Control joints in brickwork to be provided in accordance with the requirements of the Building Code of Australia.				_	Copyright:  This plan is the exclusive property of Vogue Homes. and must not be used, reproduced or copied wholly in any way without		Standard 22.06.21	JR Job
Doorway openings with inward opening doors to room containing tollets which are closer than 1200mm to the tollet are to be fitted with hinges to allow the door to be removed from the outside when the door is closed.				1	permission	Vogue Homes	Scale 1:100 Sheet 1 of 1	VH0



## **CONSTRUCTION NOTES:**

- Figured dimensions are to be taken in preference to scaling
   No allowance has been made for shrinkage or milling
   All Levels shown are approximate and should be verified on site during constant. Doorway openings with inward opening doors to room containing toilets which are closer than
   1200mm to the toilet are to be
   fitted with hinges to allow the door to be removed from the outside when the door is
- ntted with hinges to allow the door to be removed from the outside when the door is closed.

  5. Dimensions are to be verified on site by builder before the commencement of work

  6. All timber framing to be carried out to the requirements of Australian Standards (as 1684) as a minimum.
- 7. Refer to the builders scope of works for inclusions & exclusions
  8. All work to be carried out in accordance with the requirements of the Building Code of Australia
- and the relevant local authority.

  All service positions, air conditioning droppers, outlets, return air grills, manholes and bulkh to be determined on site at supervisor / contractors discretion

  10. All reinforced concrete, steel beams including supports, and nominated beams including supports to Engineer's details.

  11. Termite protection in accordance with Australian Standards
- 12. Refer to Basix Certificate for energy, water & thermal requirements

  14. All 1st floor windows with a sill height less than 1700mm to have a max opening width of 125mm
   15. Final Construction Joints, steel posts & Beams, Floor Joist to structural engineer
  - plans

    16. Meter Box, Gas Meter to be confirmed with Builder on site.


    17. Downpipes to be confirmed with plumber on site.



scale 1:100

Issue Amendment Date: North: JR Design & Drafting 22.06.21 Elevations New Double Storey Dwelling Location: LEO 33 VH Job No: TBC 22.06.21 JR Job No: This plan is the exclusive property of Vogue Homes. and must not be used, reproduced or copied wholly in any way without permission VH0000 Vogue Homes

Elevation 1



Issue Amendment

JR Design & Drafting

Date:

22.06.21

North:

## **CONSTRUCTION NOTES:**

- Figured dimensions are to be taken in preference to scaling
   No allowance has been made for shrinkage or milling
   All Levels shown are approximate and should be verified on site during constant.
- Doorway openings with inward opening doors to room containing toilets which are closer than
   1200mm to the toilet are to be

fitted with hinges to allow the door to be removed from the outside when the door is

- ntted with hinges to allow the door to be removed from the outside when the door is closed.

  5. Dimensions are to be verified on site by builder before the commencement of work

  6. All timber framing to be carried out to the requirements of Australian Standards (as 1684) as a minimum.
- 7. Refer to the builders scope of works for inclusions & exclusions
  8. All work to be carried out in accordance with the requirements of the Building Code of Australia
- and the relevant local authority.

  All service positions, air conditioning droppers, outlets, return air grills, manholes and bulkher to be determined on site at supervisor / contractors discretion

  10. All reinforced concrete, steel beams including supports, and nominated beams including supports to Engineer's details.

  11. Termite protection in accordance with Australian Standards
- 12. Refer to Basix Certificate for energy, water & thermal requirements

  14. All 1st floor windows with a sill height less than 1700mm to have a max opening width of 125mm
   15. Final Construction Joints, steel posts & Beams, Floor Joist to structural engineer
  - plans

    16. Meter Box, Gas Meter to be confirmed with Builder on site.

    17. Downpipes to be confirmed with plumber on site.

Elevations

LEO 33 VH Job No: TBC

JR Job No:


VH0000

22.06.21

New Double Storey Dwelling

Location:

Vogue Homes



This plan is the exclusive property of Vogue Homes. and must not be used, reproduced or copied wholly in any way without permission