

Copyright: This plan is the exclusive property of Vogue Homes. and must not be used, reproduced or copied wholly in any way without permission


to be provided in accordance with t ard opening doors to room containin are to be fitted w

Client:

Vogue Homes


HOUSE ARE	AS
Ground Living Area:	177.08m ²
First Floor Living Area:	161.67m ²
Garage:	37.14m ²
Porch:	5.11m ²
Alfresco:	24.21m ²
Total Area:	405.21m² 43.57Sq
CDC Gross Floor Area:	323.87m ²

Drawing Title:				Revision:
Brochure Plan				
L.G.A				NORFOLK 44
.				VH Job No:
Facade :		Date		TBC
	Standard 1:100,		30.06.21	JR Job No:
Scale	1:120	Sheet	1 of 1	VH0000



CONSTRUCTION NOTES:
 Figured dimensions are to be taken in preference to scaling No allowance has been made for shrinkage or milling All Levels shown are approximate and should be verified on site during construction Doorway openings with inward opening doors to room containing toilets which are closer than
minimum. 7. Refer to the builders scope of works for inclusions & exclusions All work to be carried out in accordance with the requirements of the Building Code of Australia and the relevant local authority. Il service positions, air conditioning droppers, outlets, return air grills, manholes and bulkheads
to be determined on site at supervisor / contractors discretion 0. All reinforced concrete, steel beams including supports, and nominated beams including supports to Engineer's details. 11. Termite protection in accordance with Australian Standards
12. Refer to Basix Certificate for energy, water & thermal requirements III 1st floor windows with a sill height less than 1700mm to have a max opening width of 125mm 15. Final Construction Joints, steel posts & Beams, Floor Joist to structural engineer plans 16. Meter Box, Gas Meter to be confirmed with Builder on site.
17. Downpipes to be confirmed with plumber on site.

Drawing Title:				Revision:
Elevations				<u> </u>
L.G.A				Design:
				NORFOLK 44
				VH Job No:
 •		.		TBC
Facade :	Standard	Date	30.06.21	JR Job No:
Scale	1:100	Sheet	3 of 4	VH0000



CONSTRUCTION NOTES: 1. Figured dimensions are to be taken in preference to scaling 2. No allowance has been made for shrinkage or milling 3. All Levels shown are approximate and should be verified on site during construction boroway openings with inward opening doors to room containing toilets which are closer than 1200mm to the toilet are to be
2. No allowance has been made for shrinkage or milling 3. All Levels shown are approximate and should be verified on site during construction Doorway openings with inward opening doors to room containing toilets which are closer than
fitted with hinges to allow the door to be removed from the outside when the door is closed. 5. Dimensions are to be verified on site by builder before the commencement of work All timber framing to be carried out to the requirements of Australian Standards (as 1684) as a minimum. 7. Refer to the builders scope of works for inclusions & exclusions II work to be carried out in accordance with the requirements of the Building Code of Australia and the relevant local authority. II service positions, air conditioning droppers, outlets, return air grills, manholes and bulkheads to be determined on site a supervisor / contractors discretion 0. All reinforced concrete, steel beams including supports, and nominated beams including supports to Engineer's details. 11. Termite protection in accordance with Australian Standards 12. Refer to Basix Certificate for energy, water & thermal requirements III set floor windows with a sill height less than 1700mm to have a max opening width of 125mm 15. Final Construction Joints, steel posts
 Meter Box, Gas Meter to be confirmed with Builder on site. Downpipes to be confirmed with plumber on site.

Drawing Title: Elevations				Revision:
L.G.A				Design: NORFOLK 44 VH Job No:
Facade :	Standard	Date	30.06.21	TBC
Scale	1:100	Sheet	4 of 4	VH0000

Vogue Homes