




Brochure Plan

scale 1:100

☐ JR Design & Drafting	Issue	Amendment	Date:	North:	Proposed:	Drawing Title:	Revision:
Residential Design & Drafting Services	Α	Concept Plans	14.12.22		New Double Storey Dwelling	Brochure Plan	A
Phone: (02) 9757 - 4002 Fax: (02) 9757 - 4003 Email: jr.design.drafting@gmail.com Address: Suite 304 No. 447 Victoria Street, Wetherill Park. NSW 2164					Location:	L.G.A	Design: SIENNA 42
1. All work to be carried out in accordance with the requirements of the Building Code of Australia and the relevant local authority. 2. All timber framing to be carried out to the requirements of Australian Standards (as 1684) as a minimum. 3.4 In in the Code of Australian Standards (as 1684) as a minimum.					VOGUÉ/HOMES L		VH Job No: TBC
Structural Engineer to check, detail and cently brickwork to grange area with a height greater than 3000mm between horizontal supports. All brickwork to be constructed in accordance with the requirements of the Building Code of Australia.					Copyright: This plan is the exclusive property of Vogue Homes. and must not be used, reproduced or copied wholly in any way without	Facade: Standard Date 14.12.22	JR Job No:
6. Control joints in brickwork to be provided in accordance with the requirements of the Building Code of Australia. 7. Doorway openings with inward opening doors to room containing tolets which are closer than 1200mm to the tollet are to be fitted with hinges to allow the door to be removed from the outside when the door is closed.				1	permission Permission Permission Vogue Homes	Scale 1:100 Sheet 1 of 1	VH0000



Issue Amendment

JR Design & Drafting

Date:

14.12.22

North:

CONSTRUCTION NOTES:

- Figured dimensions are to be taken in preference to scaling
 No allowance has been made for shrinkage or milling
 All Levels shown are approximate and should be verified on site during constant. Doorway openings with inward opening doors to room containing toilets which are closer than
 1200mm to the toilet are to be
 fitted with hinges to allow the door to be removed from the outside when the door is
- nitted with hinges to allow the door to be removed from the outside when the door is closed.

 5. Dimensions are to be verified on site by builder before the commencement of work

 6. All timber framing to be carried out to the requirements of Australian Standards (as 1684) as a minimum.
- 7. Refer to the builders scope of works for inclusions & exclusions
 8. All work to be carried out in accordance with the requirements of the Building Code of Australia
- 8. All work to be carried out in accordance with the requirements of the Building Code of Australia and the relevant local authority.

 9. All service positions, air conditioning droppers, outlets, return air grills, manholes and bulkheads to be determined on site at supervisor / contractors discretion

 10. All reinforced concrete, steel beams including supports, and nominated beams including supports to Engineer's details.

 11. Termite protection in accordance with Australian Standards

 12. Refer to Basix Certificate for energy, water & thermal requirements

 14. All 1st floor windows with a sill height less than 1700mm to have a max opening width of 125mm 15. Final Construction Joints, steel posts & Beams, Floor Joist to structural engineer plans
 - plans

 16. Meter Box, Gas Meter to be confirmed with Builder on site.

 17. Downpipes to be confirmed with plumber on site.

Elevations

SIENNA 42 VH Job No: TBC

JR Job No:

VH0000

14.12.22


New Double Storey Dwelling

Location:

Vogue Homes



This plan is the exclusive property of Vogue Homes. and must not be used, reproduced or copied wholly in any way without permission



Issue Amendment

JR Design & Drafting

Date:

14.12.22

North:

CONSTRUCTION NOTES:

- Figured dimensions are to be taken in preference to scaling
 No allowance has been made for shrinkage or milling
 All Levels shown are approximate and should be verified on site during construction. Doorway openings with inward opening doors to room containing toilets which are closer than
 1200mm to the toilet are to be
 fitted with hinges to allow the door to be removed from the outside when the door is
- nitted with hinges to allow the door to be removed from the outside when the door is closed.

 5. Dimensions are to be verified on site by builder before the commencement of work

 6. All timber framing to be carried out to the requirements of Australian Standards (as 1684) as a minimum.

- minimum.

 7. Refer to the builders scope of works for inclusions & exclusions

 8. All work to be carried out in accordance with the requirements of the Building Code of Australia and the relevant local authority.

 9. All service positions, air conditioning droppers, outlets, return air grills, manholes and bulkheads to be determined on site at supervisor / contractors discretion

 10. All reinforced concrete, steel beams including supports, and nominated beams including supports to Engineer's details.

 11. Termite protection in accordance with Australian Standards

 12. Refer to Basix Certificate for energy, water & thermal requirements

 14. All 1st floor windows with a sill height less than 1700mm to have a max opening width of 125mm 15. Final Construction Joints, steel posts & Beams, Floor Joist to structural engineer plans
 - plans

 16. Meter Box, Gas Meter to be confirmed with Builder on site.

 17. Downpipes to be confirmed with plumber on site.

Elevations

SIENNA 42 VH Job No: TBC

JR Job No:


VH0000

14.12.22

New Double Storey Dwelling

Location:

Vogue Homes



This plan is the exclusive property of Vogue Homes. and must not be used, reproduced or copied wholly in any way without permission